Package: kelpbeds (via r-universe)

November 12, 2026

Title Dictionary Tool for 'MeCab'

Version 0.1.2

Description Provides the source 'IPAdic' for 'MeCab'.

License MIT + file LICENSE

Depends R (>= 2.10)

Imports readr

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

LazyData true

LazyDataCompression xz

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Config/pak/sysreqs libx11-dev

Repository https://paithiov909.r-universe.dev

Date/Publication 2026-01-16 10:32:52 UTC

RemoteUrl https://github.com/paithiov909/kelpbeds

RemoteRef HEAD

RemoteSha 7910eb1bb40e651b674c42fdf95ebbb6dc8dd7c3

Contents

ipadic 2
ipadicmat 2
prep_ipadic 3
prep_skkserv 3
prep_sudachidict 4
skkserv 4
skkservmat 5

Index **6**

ipadic *Vocabularies of 'IPAdic'*

Description

Vocabularies of 'IPAdic'

Usage

```
ipadic
```

Format

An object of class `spec_tbl_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 392126 rows and 13 columns.

Details

A dataset containing vocabularies of 'IPAdic'.

The original 'IPAdic' is copyrighted by the Nara Institute of Science and Technology and 'ICOT'. For details about the terms of use, see 'LICENSE.note' in this package.

ipadicmat *'matrix.def' of 'IPAdic'*

Description

'matrix.def' of 'IPAdic'

Usage

```
ipadicmat
```

Format

An object of class `spec_tbl_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 1731856 rows and 3 columns.

Details

A dataset converted from 'matrix.def' of 'IPAdic'.

The original 'IPAdic' is copyrighted by the Nara Institute of Science and Technology and 'ICOT'. For details about the terms of use, see 'LICENSE.note' in this package.

prep_ipadic *Prepare source IPA dictionary*

Description

Prepare source IPA dictionary

Usage

```
prep_ipadic(dic_dir = tempdir())
```

Arguments

dic_dir	Directory to write dictionary files.

Value

dic_dir is returend invisibly.

prep_skkserv *Prepare source MeCab SKKServ dictionary*

Description

Prepare source MeCab SKKServ dictionary

Usage

```
prep_skkserv(dic_dir = tempdir())
```

Arguments

dic_dir	Directory to write dictionary files.

Value

dic_dir is returend invisibly.

prep_sudachidict *Prepare directory for building 'Sudachi' dictionary*

Description

Prepare directory for building 'Sudachi' dictionary

Usage

```
prep_sudachidict(dir = tempdir())
```

Arguments

dir	Directory to write dictionary files.

Value

`file.path(dir, "sudachidict")` is returend invisibly.

skkserv *Vocabularies of 'mecab-sskserv' dictionary*

Description

Vocabularies of 'mecab-sskserv' dictionary

Usage

```
skkserv
```

Format

An object of class `spec_tbl_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 446002 rows and 5 columns.

Details

A dataset containing vocabularies of 'mecab-sskserv' dictionary.

The dictionary of 'mecab-sskserv' is a derived work from 'IPAdic' and licensed under the same license as 'IPAdic'.

The original 'IPAdic' is copyrighted by the Nara Institute of Science and Technology and 'ICOT'. For details about the terms of use, see 'LICENSE.note' in this package.

skkservmat *'matrix.def' of 'mecab-sskserv' dictionary*

Description

'matrix.def' of 'mecab-sskserv' dictionary

Usage

```
skkservmat
```

Format

An object of class `spec_tbl_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 897981 rows and 3 columns.

Details

A dataset converted from 'matrix.def' of 'mecab-sskserv' dictionary.

The dictionary of 'mecab-sskserv' is a derived work from 'IPAdic' and licensed under the same license as 'IPAdic'.

The original 'IPAdic' is copyrighted by the Nara Institute of Science and Technology and 'ICOT'. For details about the terms of use, see 'LICENSE.note' in this package.

Index

∗ **datasets**
ipadic, 2
ipadicmat, 2
skkserv, 4
skkservmat, 5

ipadic, 2
ipadicmat, 2

prep_ipadic, 3
prep_skkserv, 3
prep_sudachidict, 4

skkserv, 4
skkservmat, 5